

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X132M	32MB memory expansion (32MB SIMM)	\$575	A*	✓									
X322A	17" color monitor, TurboGX frame buffer, and cable NOTE: Uses 1 SBus slot in NFS 150 configuration.	\$2,450	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X359A ⁴	20" color monitor, TurboGX frame buffer, and cable. NOTE: Uses 1 SBus slot in NFS 150 configuration. 2nd SX monitor options occupy 1 memory SIMM location & 1 SBus location.	\$3,150	A		✓	✓		✓	✓	✓	✓	✓	
X367A	20" color monitor, TurboGXplus frame buffer and cable	\$4,150	A							✓	✓	✓	
X467A	MII to AUI Converter Cable	\$295	A		✓	✓	✓		✓				
(X)595A	25 MB/sec. Fibre Channel Optical Module	\$600	A							✓	✓	✓	
X659A	2.1GB 5400 RPM Internal Fast SCSI-2 SC Expansion Disk	\$900	A*	✓									
(X)765A(R4)	2.1GB 7200 RPM expansion disk drive	\$1,000	A								✓	✓	
(X)766A(R4)	6x2.1GB 7200 RPM expansion disk drive	\$6,000	A								✓	✓	
X902A	2-meter 68-pin external SCSI cable	\$125	N/D								✓	✓	
X954A	Power/Cooling Module, 300W.	\$1,800	A							✓	✓	✓	
X956A	Enterprise Enpansion Cabinet	\$8,000	A							✓	✓	✓	
X958A	Second Peripheral Power Supply, 184W	\$1,500	A							✓			
X959A	SPARCstorage Array Accessories Kit for Enterprise System or Expansion Cabinet	N/C	N/D								✓	✓	
X968A	Floor brackets for Enterprise 3000	\$100	A							✓			
X972A	Rack mount rails for Enterprise 4000	\$450	A								✓		
X976A	Centronics-compatible Parallel Port Adapter Cable	\$75	B	✓	✓	✓	✓	✓	✓				
X981A	AUI Adapter Cable	\$75	B	✓	✓	✓	✓	✓	✓				
X985A	Serial Port Splitter Cable	\$50	N/D	✓	✓	✓	✓	✓	✓				
X1004A	Token Ring Ingerface/SBus (TRI/S), for Solaris 1.x	\$1,495	B	✓	✓	✓	✓	✓	✓				
X1008A	Serial Parallel Controller (SPC/S) NOTE: Requires Solaris 1.x, or Solaris 2.3 and later.	\$1,095	A	✓	✓	✓	✓	✓					
X1009A	High-speed serial interface/SBus (HSI/S) for Solaris 1.x	\$2,495	B										
X1012A	SunISDN Expansion Kit, SunISDN Card, Certification Labels, and SunISDN Enabling Kit 1.0.1	\$595	A	✓	✓	✓	✓	✓		✓	✓	✓	
X1014A	Token Ring Interface/SBus (TRI/S) for Solaris 2.x	\$1,350	B	✓	✓	✓	✓	✓	✓	✓	✓	✓	
(X)1018A	SunSwift 100BastT fast/wide SCSI SBus adapter	\$1,095	A							✓	✓	✓	
X1019A	High-Speed Serial Interface/SBus (HSI/S) for Solaris 2.x	\$2,275	B	✓	✓	✓	✓	✓		✓	✓	✓	
X1025A	SunFDDI Single-Attach SBus Adapter (SAS) 5.0 NOTE: Requires Solaris 2.5 or later.	\$2,500	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1026A	SunFDDI Dual-Attach SBus Adapter (DAS) 5.0 NOTE: Requires Solaris 2.5 or later.	\$3,775	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X1030A	PCMCIA Interface/SBus Card	\$295	A	✓	✓	✓	✓	✓					
X1042A	Quad FastEthernet SBus Card (QFE)	\$1,995	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
(X)1045A	Alteon Gigabit Ethernet Network Interface Card	\$2,295	A										
X1046A	Gigabit Ethernet Switch	\$9,995	A										
X1053A	SBus Fast SCSI-2/Buffered Ethernet Card (FSBE/S)	\$1,095	A	✓	✓	✓	✓	✓		✓	✓	✓	
X1054A	SBus SCSI/Buffered Ethernet Card (SBE/S)	\$1,095	A	✓	✓	✓	✓	✓					
X1055A	SBus SCSI Host Adapter	\$495	A	✓	✓	✓	✓	✓	✓				
X1059A	SunFastEthernet 10/100 SBus Adapter 2.0 SBus Card NOTE: Requires Solaris 2.5 or later.	\$795	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1060A	SunATM-155/MFiber SBus Adapter 2.0 NOTE: Requires Solaris 2.4, Hardware: 11/94 or later.	\$1,295	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1061A	SunATM-155/UTP5 SBus Adapter 2.0 NOTE: Requires Solaris 2.4, Hardware: 11/94 or later.	\$995	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X1062A	SBus Fast/Wide Differential Intelligent SCSI-2 Host Adapter (DWIS/S) NOTE: Requires Solaris 2.3 or later.	\$1,295	A		✓	✓	✓	✓		✓	✓	✓	
X1063A	SBus Single-Ended Fast/Wide Intelligent SCSI-2 Host Adapter (SWIS/S) NOTE: Requires Solaris 2.3 or later.	\$1,195	A	✓	✓	✓	✓	✓		✓	✓	✓	
X1064	SunATM-622/MFiber SBus adapter NOTE: Requires Solaris 2.4 hardware: 11/94 or later	\$4,995	A							✓	✓	✓	
(X)1065A	SBus Ultra Differential fast/wide intelligent SCSI host adapter	\$1,295	A							✓	✓	✓	
(X)2510A	UltraSPARC module, 167 MHz, 1MB external cache.	\$12,000	A							✓	✓	✓	
(X)2530A	250MHz UltraSPARC module w/ 1MB external cache	\$16,000	A							✓	✓	✓	
(X)2550A	250MHz UltraSPARC module w/ 4MB external cache	\$19,000	A							✓	✓	✓	
(X)2601A	CPU/memory Board w/ 2 empty CPU slots and 2 empty memory banks (up to 4MB modules) NOTE: 1 CPU/memory board supports up to 2 memory expansion options and 2 UltraSPARC modules	\$9,000	A							✓	✓	✓	
(X)2610A	SBus I/O Board with 3 empty SBus slots, 2 empty 25MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) Interface.	\$6,500	A							✓	✓	✓	
(X)2620A	Graphics I/O Board with 1 UPA slot, 2 empty SBus slots, 2 empty 25MB/sec. Fibre Channel sockets, 1 Fast/Wide SCSI interface, and one 10/100 MB/sec. Ethernet (Twisted Pair or MII) interface.	\$7,000	A							✓	✓	✓	
X3500A	Type 5 Country Kit - North American (U.S. or Canada only)	N/C	-	Order only if server includes a monitor.									
X3540A	Type 5 Country Kit - UNIX (U.S. or Canada only)	N/C	-	Order only if server includes a monitor.									
X3651A	20" color monitor, Creator 24-bit single buffered graphics accelerator, and cable.	\$3,650	A				✓	✓		✓	✓	✓	

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X3652A	20" color monitor, Creator3D 24-bit double buffered graphics accelerator with Z buffer for 3D solids, and cable.	\$4,650	A				✓	✓		✓	✓	✓	
X3800A	Power Cord for Enterprise System and Expansion Cabinets, U.S. version (NEMA L6-30P plug).	N/C	-							✓	✓	✓	
X3848A	Power Cord for Enterprise System and Expansion Cabinets, International version (IEC 309 plug, 32A, 250V).	N/C	-								✓	✓	
X3860A	Fast-Narrow SCSI-2 cable for connecting X-options to Ultra 2.	\$25	A					✓					
X5151A ^{1, 3}	2.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable	\$1,175	A*			✓	✓	✓		✓	✓		
X5152A ^{2, 3}	2.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable	\$1,175	A*	✓	✓								
X5153A ⁴	2.1GB 7200 RPM Internal Fast/Wide SCSI-2 SC Expansion Disk for Netra systems and Multi-Disk Pack NOTE: For NFS 150, must be ordered in pairs.	\$950	A*			✓	✓	✓	✓	✓			
(X)5161A	4.2GB Disk Board with 2 x 2.1GB 7200 RPM Fast/Wide SCSI Disk Drives.	\$3,700	A*							✓	✓	✓	
X5175A	2.1GB 5400 RPM Internal Fast SCSI-2 SC Expansion Disk	\$800	A*		✓								
(X)5206A(R4)	4.2GB 7200 RPM expansion disk drive w/ mounting bracket	\$1,450	A								✓	✓	
(X)5207A(R4)	6x4.2GB 7200 RPM expansion disk drive w/ mounting bracket	\$8,700	A								✓	✓	
X5209A ^{1, 3}	4GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$1,625	A*			✓	✓	✓		✓	✓		
X5213A ^{2, 3}	4GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$1,625	A*	✓	✓								
X5214A ⁴	4.2GB 7200 RPM Fast SCSI-2 Internal SC Drive and Expansion Drive for MultiPack 12.	\$1,400	A*			✓	✓	✓	✓	✓			
X5251A ⁴	9.1GB Internal 7200 RPM Fast/Wide SCSI-2 Disk Drive	\$2,320	A*	Expansion Drive for MultiPack 6									
X5253A ^{1, 3}	9.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$2,545	A*			✓	✓	✓		✓	✓		
X5254A ^{2, 3}	9.1GB 7200 RPM Fast/Wide SCSI-2 Disk UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.3 or later.	\$2,545	A*	✓	✓								
X5504A ⁴	18.2GB (2 x 9.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or later.	\$5,640	A*	✓	✓	✓	✓	✓		✓	✓		
X5505A ⁴	36.4GB (4 x 9.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or later.	\$10,280	A*	✓	✓	✓	✓	✓		✓	✓		

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X5506A ⁴	54.6GB (6 x 9.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack NOTE: Requires Solaris 2.3 or later.	\$14,920	A*	✓	✓	✓	✓	✓		✓	✓		
X5511A ⁴	4.2GB (2 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$2,900	A*	✓	✓	✓	✓	✓		✓	✓		
X5512A ⁴	12.6GB (6 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$6,700	A*	✓	✓	✓	✓	✓	✓	✓	✓		
X5513A ⁴	25.2GB (12 x 2.1GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$12,400	A*	✓	✓	✓	✓	✓	✓	✓	✓		
X5514A ⁴	8.4GB (2 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$3,700	A*	✓	✓	✓	✓	✓		✓	✓		
X5515A ⁴	25.2GB (6 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later.	\$9,400	A*	✓	✓	✓	✓	✓		✓	✓		
X5516A ⁴	50.4GB (12 x 4.2GB) 7200 RPM SCSI-2 SPARCstorage MultiPack with 68-68 pin SCSI cable NOTE: Requires Solaris 2.3 or later. SMC: must be added as a pair.	\$17,800	A*	✓	✓	✓	✓	✓		✓	✓		✓
(X)6055A(R4)	20-40GB SPARCstorage DLT4000 internal drive for Multi-Tape Backup Tray. NOTE: Requires Solaris 2.4 or later.	\$6,400	A							✓	✓	✓	
(X)6056A(R4)	SPARCstorage DLT4000 Tape with Multi-Tape Tray	\$8,400	A							✓	✓	✓	
X6057A ¹	20-40GB DLT4000 FlexiPack tape w/ 68-68pin SCSI cable	\$6,900	A			✓	✓	✓	✓	✓	✓	✓	✓
X6058A ²	20-40GB DLT4000 FlexiPack tape w/ 50-68pin SCSI cable	\$6,900	A	✓	✓								
X6060A ¹	35-70GB DLT7000 FlexiPack tape w/ 68-68pin SCSI cable	\$10,900	A			✓	✓	✓	✓	✓	✓	✓	✓
X6061A ²	35-70GB DLT7000 FlexiPack tape w/ 50-68pin SCSI cable	\$10,900	A	✓	✓								
X6071A ⁴	140-280GB SPARCstorage DLT4700 AutoLoader in a Desktop Enclosure with SCSI cable. NOTE: Requires Solaris 2.4 or later.	\$16,000	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
X6101A ¹	2.5GB QIC Tape UniPack with 68-68 pin SCSI cable	\$1,125	A			✓	✓	✓		✓	✓		✓
X6102A ²	2.5GB QIC Tape UniPack with 50-68 pin SCSI cable	\$1,125	A	✓	✓								
(X)6104A	Internal 2.5GB 1/4-inch Tape Drive	\$900	A							✓	✓	✓	
X6157A ¹	SunCD 12 UniPack with 68-68 pin SCSI cable	\$525	A*			✓	✓	✓	✓	✓	✓		✓
X6158A ²	SunCD 12 UniPack with 50-68 pin SCSI cable	\$525	A*	✓	✓								
X6159A ¹	SunCD 12 FlexiPack with 68-68 pin SCSI cable & 1 additional open half-height expansion bay	\$700	A*			✓	✓	✓	✓	✓	✓		✓

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X6160A ²	SunCD 12 FlexiPack with 50-68 pin SCSI cable & 1 additional open half-height expansion bay	\$700	A*	✓	✓								
X6161A	SunCD 12 internal CD-ROM drive for the FlexiPack	\$300	A	✓	✓	✓	✓	✓	✓				✓
6165A	SunCD 12 internal CD-ROM drive for the Netra NFS 150	\$300	A						✓				
X6208A ¹	14GB 8mm UniPack tape w/ 68-68pin SCSI cable	\$2,625	A			✓	✓	✓	✓	✓	✓		✓
X6209A ²	14GB 8mm UniPack tape w/ 50-68pin SCSI cable	\$2,625	A	✓	✓								
X6210A ¹	14GB 8mm FlexiPack tape w/ 68-68pin SCSI cable & 1 additional open half-height expansion bay	\$2,900	A			✓	✓	✓	✓	✓	✓		✓
X6211A ²	14GB 8mm FlexiPack tape w/ 50-68pin SCSI cable & 1 additional open half-height expansion bay	\$2,900	A	✓	✓								
X6212A	14GB 8mm internal tape for U1/U2/FlexiPack	\$2,400	A		✓		✓	✓					✓
(X)6213A	14GB 8mm internal tape option for Enterprise 3000 & 4000	\$2,400	A							✓	✓		
X6225A ⁴	400-800GB 8mm SPARCstorage Library, External Deskside unit. NOTE: Requires Solaris 2.5 or later and DWIS/S Host Adapter	\$26,000	A		✓	✓	✓	✓	✓	✓	✓	✓	
(X)6226A(R4)	400GB 8mm SPARCstorage Library Model 8/400, rack-mountable unit in dark-grey color w/ tape drives	\$26,000	A							✓	✓	✓	
(X)6227A(R4) ⁴	140-GB 8mm SPARCstorage Library w/ 1 internal drive in a floorstanding tower unit NOTE: Requires Solaris 2.3 or later & Solstice Backup 4.2, the Turbo module and the 1-32 Slot Capacity Jukebox Software module license to run in random-access mode & to access the bar-code reader funtions.	\$8,500	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
(X)6228A(R4)	140GB 8mm SPARCstorage Library w/ 1 internal drive in a rackmount unit	\$8,500	A							✓	✓	✓	
X6229A	14-GB 8mm internal tape option for the 140GB 8mm tape libraries NOTE: Requires Solaris 2.3 or later	\$2,700	A										
X6230A ^{1,3}	20-40GB 8mm SPARCstorage UniPack with 68-68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$6,625	A			✓	✓	✓	✓	✓	✓	✓	✓
X6231A ^{2,3}	20-40GB 8mm SPARCstorage UniPack with 50-68 pin SCSI cable. NOTE: Requires Solaris 2.5 or later.	\$6,625	A	✓	✓								
X6232A ^{1,3}	20-40GB 8mm FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay NOTE: Requires Solaris 2.5 or later	\$6,900	A			✓	✓	✓	✓	✓	✓	✓	✓
X6233A ^{2,3}	20-40GB 8mm FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay NOTE: Requires Solaris 2.5 or later	\$6,900	A	✓	✓								
(X)6234A	20-40GM 8mm internal tape drive for E3000 w/ cable	\$6,400	A							✓			
(X)6235A	20-40GM 8mm internal tape drive for E4000 w/ cable	\$6,400	A								✓		
X6236A ³	20-40GB 8mm internal tape drive for the FlexiPack	\$6,400	A	✓	✓	✓	✓	✓	✓				✓

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
X6261A ¹	4-8GB 4mm DDS-2 UniPack w/ 68-68pin SCSI cable	\$1,475	A			✓	✓	✓	✓	✓	✓		✓
X6262A ²	4-8GB 4mm DDS-2 UniPack w/ 50-68pin SCSI cable	\$1,475	A	✓	✓								
X6263A ¹	4-8GB 4mm DDS-2 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A			✓	✓	✓	✓	✓	✓		✓
X6264A ²	4-8GB 4mm DDS-2 FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$1,750	A	✓	✓								
X6265A	4-8GB 4mm DDS-2 FlexiPack internal tape drive for the FlexiPack	\$1,250	A	✓	✓	✓	✓	✓	✓				✓
(X)6280A ¹	12-24GB 4mm DDS-3 Tape UniPack with 68-68 pin SCSI cable.	\$2,350	A			✓	✓	✓	✓	✓	✓		✓
(X)6281A ²	12-24GB 4mm DDS-3 Tape UniPack with 50-68 pin SCSI cable.	\$2,350	A	✓	✓								
(X)6282A	12-24GB 4mm DDS-3 Internal Tape Drive NOTE: Requires Solaris 2.4 or higher. For Netra 1300, also order X3860A.	\$2,125	A		✓		✓	✓					✓
(X)6283A	12-24GB 4mm DDS-3 Internal Tape Drive.	\$2,125	A							✓	✓	✓	
X6284A ¹	12-24GB 4mm DDS-3 FlexiPack tape w/ 68-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,625	A			✓	✓	✓	✓	✓	✓		✓
X6285A ²	12-24GB 4mm DDS-3 FlexiPack tape w/ 50-68pin SCSI cable and 1 additional open half-height expansion bay	\$2,625	A	✓	✓								
(X)6286A	12-24GB 4mm DDS-3 Internal Tape Drive for E150. NOTE: Requires Solaris 2.4 or higher.	\$2,125	A			✓			✓				
X6290A ¹	72-144GB 4mm DDS-3 FlexiPack autoloader tape wi/ 68-68pin SCSI cable	\$5,950	A			✓	✓	✓	✓	✓	✓		✓
X6291A ²	72-144GB 4mm DDS-3 FlexiPack autoloader tape wi/ 50-68pin SCSI cable	\$5,950	A	✓	✓								
(X)6292A(R4)	72-144GB 4mm DDS-3 Tape AutoLoader with Multi-Tape Backup Tray.	\$7,450	A							✓	✓	✓	
(X)6293A(R4)	72-144GB 4mm DDS-3 Autoloader internal drive with multi-tape backup tray.	\$5,450	A							✓	✓	✓	
(X)6507A(R4)	12.6GB (3x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Module	\$9,650	A								✓	✓	
(X)6508A(R4)	29.4GB (7x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Module	\$15,850	A								✓	✓	
(X)6509A(R4)	4.2GB 7200 RPM SSA RSM drive module	\$1,550	A								✓	✓	
(X)6514A(R4)	3x9.1GB SPARC storage RSM	\$12,410	A								✓	✓	
(X)6515A(R4)	7x9.1GB SPARCstorage RSM	\$22,290	A								✓	✓	
(X)6516A(R4)	9.1GB drive module for SPARCstorage RSM	\$2,470	A								✓	✓	
(X)6517A(R4)	25.2GB (6x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable	\$24,100	A								✓	✓	
(X)6518A(R4)	75.6GB (18x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable	\$41,500	A								✓	✓	

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.

Netra Option Compatibility & Pricing

Option	Description	List Price	Discount Category	i 5 j 5	i 170 j 170	i 150	i 170E j 200E	i 1300 j 1300	NFS 150	i 3000 j 3000	i 4000 j 4000	i 5000 j 5000	SMC
(X)6519A(R4)	126GB (30x4.2GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable	\$58,900	A								✓	✓	
(X)6590A(R4)	12.6GB (6x2.1GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable in Enterprise X000 colors	\$21,400	A								✓	✓	
(X)6591A(R4)	37.8GB (18x2.1GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable in Enterprise X000 colors	\$33,400	A								✓	✓	
(X)6592A(R4)	63GB (30x2.1GB, 7200 RPM fast/wide SCSI-2 disks) SPARCstorage Array w/ fibre channel cable in Enterprise X000 colors	\$45,400	A								✓	✓	
X7002A	64MB ECC memory expansion (2 x 32MB SIMMs)	\$1,000	A*		✓	✓	✓	✓	✓				
X7003A	128MB ECC memory expansion (2 x 64MB SIMMs)	\$2,000	A*		✓	✓	✓	✓	✓				
X7004A	256MB ECC memory expansion (2 x 128MB SIMMs)	\$7,500	A*		✓	✓	✓	✓					
X7022A	256MB ECC memory expansion (8 x 32MB SIMMs)	\$4,750	A*							✓	✓	✓	
X7023A	1GB ECC memory expansion (8 x 128MB SIMMs)	\$48,500	A*							✓	✓	✓	
X7103A	17" Entry Level Color Monitor	\$900	A	✓	✓	✓	✓	✓	✓	✓	✓	✓	
X7111A	Server console, 17" Entry Color Monitor, TurboGX frame buffer & cable	\$1,995	A	✓						✓	✓	✓	
NETRA-I-3.1-E-S	Netra i 3.1 Encryption Kit. For U.S. customers only.	N/C	-	✓	✓	✓	✓	✓	✓		✓	✓	
NETRA-IPX-CLNT-L5	5-user IPX Gateway Client License	\$300	B	For Netra i systems									
NETRA-IPX-CLNT-L25	25-user IPX Gateway Client License	\$1,375	B	For Netra i systems									
NETRA-IPX-CLNT-L50	50-user IPX Gateway Client License	\$2,500	B	For Netra i systems									
NETRA-NFS-L25	25-user Client RTU for Syntax Totalnet Server software bundled with Netra NFS servers.	\$1,000	A						✓				
NETRA-NFS1.1	Netra NFS SmartServe 1.1 software, factory installed, for the Netra NFS 150 server.	N/C	-						✓				

*Maximum discount may apply/ Add "X" before the Order Number to order as a standalone option for existing systems. Append "R4" for factory installation in the Data Center System Cabinet.

¹ 68-68 pin cables are required to connect a UniPack to another UniPack or to a wide SCSI host adapter.

² 50-68 pin cables are required to connect a UniPack to a 50-pin SCSI Host Adapter or to a Desktop Storage or Disk Pack.

³ A SWIS/S Host Adapter with Solaris 2.3 or later is required for Wide SCSI functionality.

⁴ For use outside of N.A., Europe, or Asia, order a localized power cord at no charge.

This is not an official Price List. Please consult the official Price Lists, or contact your Sun Sales Representative or Authorized Reseller before placing an order.